



How To:

Add & Edit Patient Diagnosis Codes

What's Inside

- Add New Patient Diagnosis Codes
- Edit Patient Diagnosis Codes
 - Resolve
 - Update Diagnosis
 - Mark as Error and Remove
- User Patient Diagnosis Codes

How to Add & Edit Patient Diagnosis Codes

Add a New Patient Diagnosis Code

1. Click the **Add/Edit Diagnosis Codes** link on the landing page.

dosespot Dashboard **Patients** Favorites Support 15

Perseus Abingdon
DOB: 09/01/2012
Gender: Male

Patient Overview 32
Medication History

Patient Information

Address: 98 Bayview Ave
New Rochelle, NY 10805
Phone: (347) 654-7751
Height: 72 inch Weight: 180 lb

Insurance Plan PRO-NY-12
Retail: Covered
Mail Order: Covered
Member ID: PRO-PBM^NY^217754X

[View/Edit Patient Information](#) [View Coverage Details](#)

Allergies & Diagnosis Codes

Current Allergies:

- Eggs or Egg-derived Products (Allergy)
- Amoxicillin (Allergy)
- Penicillins (Allergy)

[Add/Edit Drug Allergies](#)

Current Diagnosis Codes:

- (L20.84) Intrinsic (allergic) eczema

[Add/Edit Diagnosis Codes](#)

2. To add a new patient diagnosis code, click the **+ Add New Diagnosis Code** button.

3. Search for the new diagnosis code and add the optional onset and expiration dates if needed. Once you click the **Add to Current List** button, the new diagnosis code will be added to your list.

Add New Diagnosis Code

Diagnosis Code *

Onset (Optional)

Expiration (Optional)

[Cancel](#) [ADD TO CURRENT LIST](#)

Add/Edit Diagnosis Codes ×

Current Diagnosis Codes

(L20.84) Intrinsic (allergic) eczema ✓

[+ Add New Diagnosis Code](#)

[CLOSE](#)

Note: Patient diagnosis codes are tied to the ICD-10 codes configuration. The configuration must be turned on to view/edit patient diagnosis codes.

Edit Patient Diagnosis Codes

Easily view or edit diagnosis codes by clicking on [Add/Edit Diagnosis Codes](#) from the landing page. By editing diagnosis codes, you will ensure accurate and up-to-date records, enhancing care and communication with the pharmacy.

Click on an individual diagnosis code to start editing. There are 3 ways to edit a diagnosis code:

- 1 **Resolve** the diagnosis code.
- 2 Edit the onset and expiration dates to **update the diagnosis code**.
- 3 **Mark the diagnosis code as an error and remove** the diagnosis code from the list.

The screenshot shows a user interface for editing a patient's diagnosis code. At the top, the diagnosis code is displayed as **(L20.84) Intrinsic (allergic) eczema** in green text, with a small upward arrow to its right. Below this, the text 'Diagnosis Code: L20.84' is shown. There are two input fields for dates: 'Onset (Optional)' and 'Expiration (Optional)', both with placeholder text 'MM/DD/YYYY'. At the bottom, there are three action buttons: a green 'RESOLVE' button (labeled with a green circle and the number 1), a grey 'UPDATE DIAGNOSIS' button (labeled with an orange circle and the number 2), and a green link 'Mark as Error and Remove' (labeled with an orange circle and the number 3).

Use Patient Diagnosis Codes in Prescribing Workflow

Patient Diagnosis Codes are also available within the prescribing workflow. Patient diagnosis codes will appear when selecting the **Current Patient Diagnosis** tab, reducing duplicate work and making it easier to include important diagnosis information for the pharmacy.

New diagnosis codes can also be added by selecting **Diagnosis Search/Add** and searching for new diagnosis codes.

Click on Current Patient Diagnosis to select a diagnosis code.

Click Diagnosis Search/Add and search for new diagnosis codes.

Hydrocortisone Topical Cream 2.5 %

Strength
2.5 % [Edit](#)
Updating Strength will reset most prescription fields

Diagnosis Codes (Optional)

[Current Patient Diagnosis](#) [Diagnosis Search/Add](#)

(L20.84) Intrinsic (allergic) eczema

Build Medication Using: [SIG Builder](#)

Dose Delivery Method: Dose Quantity:

Dose Form: Route of Administration:

Frequency: Day Supply*:

Patient Directions (SIG)*

[Clear](#) [CANCEL](#) [CREATE MEDICATION](#)